





# Considerations for Treatment Selection in PATIENTS WITH NARCOLEPSY



Symptom	Therapies Approved for Treatment or Evidence Supporting Efficacy		
<b>EDS</b> 	<ul style="list-style-type: none"> <li>• Armodafinil</li> <li>• Modafinil</li> <li>• Oxybate</li> <li>• Pitolisant</li> </ul>	<ul style="list-style-type: none"> <li>• Solriamfetol</li> <li>• Amphetamine-derivatives</li> <li>• Methylphenidate</li> </ul>	
<b>Cataplexy</b> 	Oxybate	Pitolisant	Antidepressants
<b>DNS</b> 		Oxybate	
<b>SP/HH</b> 	Oxybate	Pitolisant	Antidepressants

DNS, disturbed nocturnal sleep; EDS, excessive daytime sleepiness; HH, hypnagogic/hypnopompic hallucinations; SP, sleep paralysis

Bassetti CLA, et al. *J Sleep Res.* 2021;Jun 25:e13387.

Bassetti CLA, et al. *Eur J Neurol.* 2021;28(9):2815-2830.

Maski K, et al. *J Clin Sleep Med.* 2021;17(9): Abstract. <https://jcs.m.aasm.org/doi/full/10.5664/jcs.m.9328>